

Current Cigarette Smoker (Adults)

Current Cigarette Smoker (Adults)

- Most recent data (2014): 12% or about 187,900 King County adults age 18+.
- Trend over time: 2000-14: falling
- Description: Now smoke cigarettes every day or some days
- Healthy People 2020 Goal: 12% or lower

Current cigarette smoker (adults), King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	14	13	14
AGE			
18-24	11	9	14
25-44	17	15	18
45-64	14	13	16
65+	6	5	7
GENDER			
Male	16	15	17
Female	11	10	12
RACE/ETHNICITY			
AIAN	26	17	39
Asian	8	6	11
Black	22	17	27
Hispanic	15	12	19
Multiple	18	13	24
NHPI	21	12	35
White	13	12	14
HOUSEHOLD INCOME			
<\$15,000	30	26	35
\$15,000 to \$24,999	22	18	25
\$25,000 to \$34,999	18	15	22
\$35,000 to \$49,999	17	14	20
\$50,000 to \$74,999	14	12	16
\$75,000+	7	6	8
REGION			
East	10	8	12
North	12	9	15
Seattle	13	12	15
South	17	16	19
STATE			
Washington State	16	16	17

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Current cigarette smoker (adults) King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Current cigarette smoker (adults) by health reporting areas, King County, 2010-2014 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	14	13	14
Auburn	20	15	28
..Auburn-North	19	12	29
..Auburn-South	23	14	34
Bear Creek/Carnation/Duvall	13	8	19
Bellevue	10	8	13
..Bellevue-Central	11	7	17
..Bellevue-NE	13	8	21
..Bellevue-South	7 §	4 §	12 §
..Bellevue-West	10 §	5 §	18 §
Black Diamond/Enumclaw/SE County	19	13	25
Bothell/Woodinville	15 §	8 §	26 §
Burien	22	15	29
Covington/Maple Valley	11	7	16
Des Moines/Normandy Park	18	12	26
East Federal Way	17	11	25
Fairwood	8 §	3 §	18 §
Federal Way	17	13	23
..Fed Way-Central/Military Rd	18	13	25
..Fed Way-Dash Point/Woodmont	16	9	26
Issaquah	9 §	4 §	17 §
Kenmore/LFP	8	4	13
Kent	18	14	22
..Kent-East	20	12	29
..Kent-SE	15	11	20
..Kent-West	24	15	36
Kirkland	11	7	16
..Kirkland	10	6	18
..Kirkland North	11	7	18
Mercer Isle/Pt Cities	6 §	3 §	11 §
Newcastle/Four Creeks	10	6	17
North Highline	20 §	11 §	35 §
Redmond	8	5	12
Renton	16	12	21
..Renton-East	9 §	4 §	20 §
..Renton-North	18	12	28
..Renton-South	19	14	27
Sammamish	5	3	9
SeaTac/Tukwila	25	18	33
Seattle	13	12	15
..Ballard	9	6	14
..Beacon/Gtown/S.Park	15	9	24
..Capitol Hill/E.lake	10	6	15
..Central Seattle	16	11	24
..Delridge	23	15	34
..Downtown	23	16	31
..Fremont/Greenlake	13	8	21
..NE Seattle	8	5	12
..North Seattle	12	8	17
..NW Seattle	11	7	16
..QA/Magnolia	14	8	22
..SE Seattle	16	10	23
..West Seattle	10	6	15
Shoreline	13	9	18
Snoqualmie/North Bend/Skykomish	14	9	21
Vashon Island	14 §	7 §	25 §

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Current cigarette smoker (adults) by health reporting areas King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Current cigarette smoker (adults) **King County, 2000-2014, three-year rolling averages**



Trends over time: King County (2000-14: falling); East KC (2000-14: falling); North KC (2000-14: falling); Seattle (2000-14: falling); South KC (2000-06: falling; 2006-14: flat); Washington State (2000-09: falling; 2009-14: flat)
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 07/2016.